INDEX TO VOLUME 55

Acanthis flammea, 43-44 hornemanni 43 Accipiter cooperii, 90, 239, 271 striatus, 269 striatus suttoni. 90 Acrocephalus bistrigiceps, 42 Actitis macularia, 270 Aechmolophus mexicanus, 93 Aechmolophus, Crested, 93 Aechmophorus occidentalis, 44 Aëronautes saxatalis, 270

Aethia cristatella, 301 Agelajus phoeniceus, 156, 176, 271 phoeniceus caurinus, 316 phoeniceus grinnelli, 208

Agriornis montana, 20

Aimophila rufescens antonensis, 97 rufescens mcleodii, 96-97 rufescens pallida, 96-97 rufescens subvespera, 96-97

ruficauda, 209 ruficauda acuminata, 96, 97 ruficauda connectens, 209 ruficauda ruficauda, 209 ruficeps, 97, 156

ruficeps fusca, 97 Aix sponsa, 35-37, 45

Akepa, 222 Akialoa, 222 Akiapolaau, 222 Alauda arvensis, 41 Alca torda, 130

Alcorn, J. R., food of the common merganser in Churchill County, Nevada, 151

Alvarez del Toro, Miguel, and Selander, Robert K., the breeding distribution of Chordeiles minor in Mexico, 160

Amakihi, Greater, 222 Amaurornis phoenicurus, 184 Amazilia beryllina devillei, 203 beryllina viola, 91 candida pacifica, 203 rutila, 203

Amazona albifrons nana, 202 ochrocephala, 202

Ammodramus savannarum pratensis, 209 Anas acuta, 33, 201

acuta acuta, 275-276 acuta tzitzihoa, 275-276 clypeata, 33-37 crecca, 201 crecca crecca, 153, 300

cyanoptera, 152-153 discors, 152-153, 179, 201 eatoni, 276

platyrhynchos, 33-37, 113, 170, 300, 311 strepera, 35-37

Anderson, William, and Miller, A. W., hybridization of cinnamon and blue-winged teal in northeastern California, 152

Ani, Groove-billed, 202, 205, 208, 209

Anser, 100-101 albifrons, 100 albifrons frontalis, 100 anser, 33, 100 anser rubrirostris, 100 fabalis, 100

Antrostomus vociferus arizonae, 281-286

vociferus vociferus, 285 Aphelocoma coerulescens, 271 ultramarina ultramarina, 93 Anus pacificus pacificus, 41 Aquila chrysaëtos, 91, 300 Aracari, Collared, 204

Aratinga canicularis, 203, 204, 206, 208 canicularis canicularis, 202

Archilochus alexandri, 45, 143, 271 colubris, 143, 203 Ardea herodias, 112, 200, 218

Asio wilsonianus, 43 Aspatha gularis, 135 Asyndesmus lewis, 45

Attila spadiceus flammulatus, 92 spadiceus pacificus, 92

Attila, Polymorphic, 92 Auklet, Crested, 301 Avocet, 279

American, 45 Aythya affinis, 201

valisineria, 178

americana, 34-37, 45, 179 collaris, 45, 277-278 fuligula, 33 marila, 300

R

Baily, A. Lang, eastern race of yellow-bellied sapsucker in Colorado, 219 Balanosphyra formicivorus, 204, 270, 271

Baldpate, 201, 277

Baldwin, Paul H., and Richards, Lawrence P., recent records of some Hawaiian honeycreepers, 221

Barbet, Blue-throated, 220 Crimson-breasted, 220 Great Himalavan, 220 Toucan, 220 Basileuterus belli scitulus, 207

delattrii delattrii, 207 rufifrons dugesi, 95 Basileuterus, Bell, 207

Delattre, 207 Baumel, Julian J., individual variation in the white-necked raven, 26

Becard, Black-capped, 204 Rose-throated, 92

INDEX TO VOLUME 55

Acanthis flammea, 43-44 hornemanni 43 Accipiter cooperii, 90, 239, 271 striatus, 269 striatus suttoni. 90 Acrocephalus bistrigiceps, 42 Actitis macularia, 270 Aechmolophus mexicanus, 93 Aechmolophus, Crested, 93 Aechmophorus occidentalis, 44 Aëronautes saxatalis, 270

Aethia cristatella, 301 Agelajus phoeniceus, 156, 176, 271 phoeniceus caurinus, 316 phoeniceus grinnelli, 208

Agriornis montana, 20

Aimophila rufescens antonensis, 97 rufescens mcleodii, 96-97 rufescens pallida, 96-97 rufescens subvespera, 96-97

ruficauda, 209 ruficauda acuminata, 96, 97 ruficauda connectens, 209 ruficauda ruficauda, 209 ruficeps, 97, 156

ruficeps fusca, 97 Aix sponsa, 35-37, 45

Akepa, 222 Akialoa, 222 Akiapolaau, 222 Alauda arvensis, 41 Alca torda, 130

Alcorn, J. R., food of the common merganser in Churchill County, Nevada, 151

Alvarez del Toro, Miguel, and Selander, Robert K., the breeding distribution of Chordeiles minor in Mexico, 160

Amakihi, Greater, 222 Amaurornis phoenicurus, 184 Amazilia beryllina devillei, 203 beryllina viola, 91 candida pacifica, 203 rutila, 203

Amazona albifrons nana, 202 ochrocephala, 202

Ammodramus savannarum pratensis, 209 Anas acuta, 33, 201

acuta acuta, 275-276 acuta tzitzihoa, 275-276 clypeata, 33-37 crecca, 201 crecca crecca, 153, 300

cyanoptera, 152-153 discors, 152-153, 179, 201 eatoni, 276

platyrhynchos, 33-37, 113, 170, 300, 311 strepera, 35-37

Anderson, William, and Miller, A. W., hybridization of cinnamon and blue-winged teal in northeastern California, 152

Ani, Groove-billed, 202, 205, 208, 209

Anser, 100-101 albifrons, 100 albifrons frontalis, 100 anser, 33, 100 anser rubrirostris, 100 fabalis, 100

Antrostomus vociferus arizonae, 281-286

vociferus vociferus, 285 Aphelocoma coerulescens, 271 ultramarina ultramarina, 93 Anus pacificus pacificus, 41 Aquila chrysaëtos, 91, 300 Aracari, Collared, 204

Aratinga canicularis, 203, 204, 206, 208 canicularis canicularis, 202

Archilochus alexandri, 45, 143, 271 colubris, 143, 203 Ardea herodias, 112, 200, 218

Asio wilsonianus, 43 Aspatha gularis, 135 Asyndesmus lewis, 45

Attila spadiceus flammulatus, 92 spadiceus pacificus, 92

Attila, Polymorphic, 92 Auklet, Crested, 301 Avocet, 279

American, 45 Aythya affinis, 201

valisineria, 178

americana, 34-37, 45, 179 collaris, 45, 277-278 fuligula, 33 marila, 300

R

Baily, A. Lang, eastern race of yellow-bellied sapsucker in Colorado, 219 Balanosphyra formicivorus, 204, 270, 271

Baldpate, 201, 277

Baldwin, Paul H., and Richards, Lawrence P., recent records of some Hawaiian honeycreepers, 221

Barbet, Blue-throated, 220 Crimson-breasted, 220 Great Himalavan, 220 Toucan, 220 Basileuterus belli scitulus, 207

delattrii delattrii, 207 rufifrons dugesi, 95 Basileuterus, Bell, 207

Delattre, 207 Baumel, Julian J., individual variation in the white-necked raven, 26

Becard, Black-capped, 204 Rose-throated, 92

Berger, Andrew J., protracted incubation behavior of a female American goldfinch, 151: three cases of twin embryos in passerine birds, 157

Blackbird, Brewer, 88, 178, 219, 271 Red-wing, 156, 176, 208, 271, 316 Rusty, 46

Blackford, John L., bird records from northwestern Montana, 277; breeding haunts of the Stephens whip-poor-will, 281

Blake, Emmet Reid, birds of Mexico, a guide for field identification, a review by A. H. Miller, 280

Bluebird, 143

Common, 206 Eastern, 94 Mexican, 271, 272 Mountain, 270 Western, 230, 247 Bobolink, 216

Bob-white, 91

Bombycilla cedrorum, 46, 143, 206

Booth, Ernest S., American golden-eye in Sonora, Mexico, 160

Branta canadensis, 100-101, 112 canadensis interior, 27 canadensis leucopareia, 100, 301

Brauner, Joseph, observations on the behavior of a captive poor-will, 68

Briggs, Marjorie A., unrecorded specimens of Neochloe brevipennis taken in Oaxaca, 156 Brodkorb, Pierce, a review of the Pliocene loons, 211

Brotogeris jugularis jugularis, 202

Bubo virginianus, 20, 91 Bucephala clangula, 160

Buckley, John L., and Cade, Tom J., a mass emigration of sharp-tailed grouse from the Tanana Valley, Alaska, in 1934, 313

Bunting, Indigo, 207, 209

Lark, 209 Lazuli, 272 Meadow, 153 Painted, 209 Snow, 152, 301 Yellow-throated, 154 Bush-tit, 93, 271

Buteo brachyurus, 90 buteo burmanicus, 153 jamaicensis, 90, 161, 269, 271 lineatus elegans, 316

magnirostris direptor, 201 Buteogallus anthracinus, 201 Butorides virescens, 200, 239 Buzzard, Japanese, 153

Cade, Tom J., sub-nival feeding of the redpoll in interior Alaska: a possible adaptation to the northern winter, 43

Cade, Tom L. and Buckley, John L., a mass emigration of sharp-tailed grouse from the Tanana Valley, Alaska, in 1934, 313

Cairina moschata, 180

Calamospiza melanocorys, 216

Calcarius lapponicus, 300

lapponicus alascensis, 152, 216

Calocitta formosa, 203, 205 formosa azurea, 205 formosa pompata, 205

Calvote anna, 155, 271 Campylorhynchus, 145

gularis, 94 rufinucha, 206

rufinucha castaneus, 206 rufinucha nigricaudatus, 206 zonatus, 134

Camptostoma imberbe, 93 imberbe imberbe, 93 imberbe ridgwayi, 93

Canvasback, 178 Capella hardwickii, 40 Caprimulgus europaeus, 69 vociferus oaxacae, 91 Caracara cheriway, 201

Caracara, 201 Cardiff, Eugene, and Cardiff, Bruce, records of

Coues flycatcher and chestnut-sided warbler in California, 217; additional records for the American redstart in the Imperial Valley of California, 279

Cardinal, 220

Carpodacus, 193, 265 cassinii, 46, 265, 270

mexicanus, 75, 95, 154-155, 272 mexicanus centralis, 96 mexicanus coccineus, 96

mexicanus mexicanus, 96 purpureus, 265, 271

purpureus californicus, 156 Casmarodius albus, 200

Cassidix mexicanus mexicanus, 207 Catbird, 99, 151

Cathartes aura, 45, 90, 201, 218 Catharus aurantiirostris clarus, 94

Catherpes mexicanus, 271

mexicanus mexicanus, 94 Catoptrophorus semipalmatus, 45, 218

Centurus aurifrons, 202, 203 aurifrons santacruzi, 204 rubricapillus, 133

Cepphus carbo, 41 columba, 301

Certhia familiaris, 94, 270, 271 familiaris alticola, 94 familiaris guerrerensis, 94

Ceryle alcyon alcyon, 203 torquata, 203

Chamaea fasciata, 271

Chamaethlypis poliocephala caninucha, 207

Charadrius vociferus, 201 Chenopsis atrata, 178 Chickadee, Black-capped, 43 Carolina, 151 Hudsonian, 43 Mountain, 270 Chicken, White Leghorn, 287-298 Chloëphaga melanoptera, 20 Chloris sinica, 153 Chloroceryle americana, 203 americana septentrionalis, 203 Chlorura chlorura, 270

Chordeiles, 70 minor, 91, 160-161, 269 minor aserriensis, 160-161 minor chapmani, 161 minor henryi, 160-161

minor hesperis, 161
Cinclodes, 20
Cinclus mexicanus, 158
Ciridops anna, 222
Cissilopha melanocyanea melanocyanea, 205

Clangula hyemalis, 305-312 Coccyzus americanus americanus, 202

Colaptes, 20 auratus borealis, 316 cafer, 239, 269, 270, 271 cafer mexicanus, 91

Colinus virginianus, 91 Columba fasciata, 202, 270, 271 Columbigallina minuta, 21-25 passerina, 21-25, 160, 218 passerina pallescens, 202

talpacoti, 21-25 talpacoti rufipennis, 202 talpacoti talpacoti, 21-25

Colymboides anglicus, 214 minutus, 214

Colymbus dominicus, 143 grisegena, 179 grisegena holböllii, 220 Compsothlypis americana, 216

Condor, California, 47, 150 Contopus cinereus brachytarsus, 205 pertinax pallidiventris, 217 pertinax pertinax, 93, 205

richardsonii, 93, 270, 271

American, 31, 102-103, 169-186, 201 Black, 177, 178, 182, 183 Hawaiian, 184

White-winged, 183 Coragyps atratus, 90, 97, 201, 218 Cormorant, Brandt, 315

Red-gartered, 183

Double-crested, 44, 111-112, 115, 315 Olivaceous, 200 Pelagic, 39, 40, 301, 302 Temminck, 39, 40, 41

Corvus corax, 43, 93 corone orientalis, 41 cryptoleucus, 26-32 levaillantii japonensis, 41

Cowbird, 95, 151, 156 Bronzed, 218 Brown-headed, 316, 318 Red-eyed, 207

Crake, Elwe, 184 Creeper, 20 Brown, 94, 270, 271

Crossbill, Red, 96, 158-160, 193-197 White-winged, 43

Crotophaga sulcirostris, 202 Crow, Carrion, 41

Jungle, 41 Cuckoo, Lesson Ground, 202 Squirrel, 91, 202 Yellow-billed, 202 Curlew, Long-billed, 218, 316

Cyanorpes cyaneus carneipes, 207 Cyanocephalus cyanocephalus, 46 Cyanopica cyanus koreensis, 153

Cyanocitta stelleri, 270, 271 stelleri lazula, 206 stelleri ridgwayi, 206 stelleri suavis, 206 Cygnus olor, 178

D

Davis, John, birds of the Tzitzio region, Mexico, 90; precocious sexual development in the juvenal English sparrow, 117

Delacour, Jean, review of "The Dodo and Kindred Birds," by M. Hachisuka, 223

Dendrocopos albolarvatus, 270 arizonae, 91-92 arizonae arizonae, 92 arizonae fraterculus, 92 kizuki acutirostris, 153 nuttallii, 271 pubescens, 270

scalaris, 91 scalaris azelus, 91 scalaris centrophilus, 91 stricklandi, 91-92 stricklandi arizonae, 92 stricklandi fraterculus, 92 villosus, 133, 269, 270

Dendrocygna autumnalis lucida, 201 bicolor, 201

Dicolor, 270, 271, 272
auduboni, 270, 271, 272
coronata, 156
coronata coronata, 207
graciae decora, 95
graciae graciae, 95
magnolia, 207
nigrescens, 271, 272
occidentalis, 270, 272

palmarum, 162, 276 pennsylvanica, 217 petechia aestiva, 207 striata, 278 townsendi, 272 virens virens, 207

Dickcissel, 215
Dickerman, Robert W., and Phillips, Allan R., first United States record of Myiarchus nuttingi, 102

Dilger, William C., duetting in the crimsonbreasted barbet, 220

Dipper, 158

Dolichonyx oryzivorus, 216 Dove, Ground, 160, 202, 218 Inca, 91, 160, 202 Mourning, 202, 269, 271 Ring, 3, 14-16 Talpacoti, 202

Talpacoti Ground, 21-25 White-winged, 202, 218

Dowitcher, 45 Drepanis pacifica, 222

Dryocopus lineatus similis, 204 Duck, Black-bellied Tree, 201

k, Black-bellied Tree, 201 Eider, 33 Fulvous Tree, 201 Harlequin, 300 Lesser Scaup, 201 Muscovy, 180 Oldsquaw, 305-312 Redhead, 45 Ring-necked, 45, 277-278 Ruddy, 174, 179, 180, 201 Tufted, 33, 36

Wood, 35-37, 45 Dumetella carolinensis, 99, 151

E

Eagle, Bald, 158, 300, 301-302 Golden, 91, 300 Egret, Common, 200

Snowy, 200, 218 Egretta thula, 218

Eider, 302 Common, 301

Elaenia viridicata, 93 viridicata jaliscensis, 93 viridicata placens, 93, 205

Elaenia, Greenish, 93, 205 Emberiza cioides, 153 elegans elegans, 154 Emerald, White-bellied, 203

Empidonax affinis, 93 difficilis, 218, 271 difficilis occidentalis, 93 euleri, 218

> flaviventris, 205 fulvifrons fuscipes, 205 fulvifrons rubicundus, 93 griseus, 270

griseus, 270 hammondii, 205 minimus, 205, 218 traillii, 218, 270 wrightii, 270 Eremophila alpestris, 152

Eremophila alpestris, 152 Erolia alpina, 305-312 minutilla, 201

ptilocnemis, 300 Eudocimus albus, 201

Eumomota superciliosa, 202

superciliosa bipartita, 203 Euphagus carolinus, 46

cyanocephalus, 179, 271 Euphonia, Blue-hooded, 95

Lesson, 208
Eupoda montana, 160

F

Falco columbarius, 45 peregrinus, 277

sparverius, 20, 201, 269, 270 subbuteo, 39, 40

Falcon, Laughing, 91, 201

Farner, Donald S., and Mewaldt, L. R., the composition of a wintering population of white-crowned sparrows in southeastern Washington, 313

Fennell, Chester M., notes on the birds of Daikokujima, Hokkaido, Japan, 38

Finch, Cassin, 195, 270 Gray-headed, 20

Ground, 20

House, 75, 86, 95, 154-155, 272, 318

Purple, 156, 271 Rosy, 301

Fish, William R., a method for the objective study of bird song its application to the analysis of Bewick wren songs, 250

Flat-bill, Sulphury, 205

Flavin, John W., Jr., second record of the vermilion flycatcher in Colorado, 215

Flicker, 20

Red-shafted, 91, 239, 269, 270, 271

Yellow-shafted, 316

Florida caerulea, 218

caerulea caerulescens, 200

Flycatcher, Ash-throated, 101, 205, 271

Beardless, 93

Boat-billed, 204

Brown-crested, 205, 274

Buff-breasted, 93, 205

Coues, 93, 205, 217

Crested, 218, 219

Dusky-capped, 205

Gray, 270

Gray-backed Tody, 205

Gray Silky, 95

Hammond, 205

Kiskadee, 205

Least, 205, 218

Nutting, 101

Olivaceous, 92

Olive-sided, 217

Scissor-tailed, 204

Traill, 218, 270	Goose, Bolivian, 20
Tufted, 93	Canada, 27, 112
Vermilion, 92, 215, 216	Grey, 33
Vermilion-crowned, 205	Lesser Canada, 301
Western, 93, 218, 271	Grackle, Great-tailed, 207
Wright, 270	Grassquit, Blue-black, 96, 209
Yellow-bellied, 205	Grayson, Andrew Jackson, paintir
Frigate Bird, 158	micrastur, opposite 3
Fregata magnificens, 218	Grebe, Antillean, 143
Fulica americana, 31, 33, 102-103, 169-186	Great Crested, 183
americana alai, 184	Pied-billed, 170, 180
americana americana, 201	Red-necked, 179, 220
armillata, 183	Western, 44
atra, 177, 178	Greenfinch, 153
leucoptera, 183	Grosbeak, Black-headed, 271, 272
Fulmar, 302	Blue, 208
Fulmarus glacialis, 302	Evening, 46, 271
	Pine, 43, 195
G	Rose-breasted, 208
Gabrielson, Ira N., and Lincoln, Frederick	C., Ground-chat, 207
status of the lesser common loon, 314	Grouse, Sharp-tailed, 313
Gadwall, 35-37	Guara alba, 218
Gallirallus troglodytes, 184	Guhl, A. M., and Ortman, L. L., v.
Gannet, 177	in the recognition of indivi
Galbula melanogenia, 131	chickens, 287
Gallicrex cinerea, 184	Guillemot, 130
Gallinula chloropus, 183	Sooty, 41
Gallinule, Black, 183, 184	Pigeon, 301
Gavia arctica, 212	Guiraca caerulea, 208

paleodytes, 211-214 portisi, 211, 214 pusilla, 214 stellata, 211, 212, 214, 300 Geococcyx californianus, 215-216

immer, 211, 212, 214, 314-315

velox melanchima, 91 Geositta, 20

arctica pacifica, 213

concinna, 211-214

howardae, 212-214

immer elasson, 314-315

immer immer, 314-315

pacifica, 211, 212, 214

Geothylpis trichas, 27 trichas brachydactyla, 207 Giles, Leroy W., and Marshall, David B., recent

observations on birds of Anaho Island, Pyramid Lake, Nevada, 105 Glover, Fred A., record of starling in Humboldt

County, California, 219; summer food of the burrowing owl, 275

Gnatcatcher, Blue-gray, 94, 206, 272 White-lored, 206

Godwit, Bar-tailed, 300 Hudsonian, 318 Golden-eye, American, 160 Goldfinch, 157, 250 American, 151, 238 Arkansas, 96, 272 Lawrence, 272 Lesser, 205, 206, 209

ing of collared visual patterns viduals among caerulea caerulea, 208 caerulea eurhyncha, 208 Gull, Black-tailed, 40, 153 Bonaparte, 219 California, 108, 113-115 Franklin, 33, 219 Glaucous-winged, 299, 300, 301, 302

Slaty-backed, 39, 40, 41 Western, 316 Gullion, Gordon W., observations on molting of the American coot, 102; additional bird records from southern Nevada, 160; territorial behavior of the American coot, 169

Gullion, Gordon W., and Pulich, Warren M., black-and-white warbler, dickcissel, and tree sparrow in Nevada, 215

Gymnogyps, 31

Heermann, 218

Short-billed, 219

Herring, 156

Hachisuka, Masauji, the dodo and kindred birds, a review by Jean Delacour, 223 Haematopus bachmani, 300, 302 Haliaeëtus leucocephalus, 300 Hand, R. L., bird notes from western Montana, 44 Harrison, Ed, and Roberts, Frances, long-eared owl at its nest, a photograph, 43 Haverschmidt, Fr., notes on the life history of Columbigallina talpacoti in Surinam, 21

Hawk, Cooper, 90, 239, 271

Crab, 201

Duck. 277 Insect, 201

Marsh, 156

Pigeon, 45, 156

Red-shouldered, 316

Red-tailed, 90, 161, 269, 271

Sharp-shinned, 90, 156, 269

Short-tailed, 90

Sparrow, 20, 201, 269, 270

White, 201

Heleodytes bicolor, 220 Hemignathus lucidus affinis, 222

obscurus obscurus, 222

wilsoni, 222

Henicorhina leucophrys, 126

leucophrys capitalis, 206

leucosticta, 126

Heron, Cabanis Tiger, 200 Great Blue, 112, 115, 200, 218

Green, 200, 239

Little Blue, 200, 218

Tricolored, 200

Herpetotheres cachinans, 91, 201

Hesperiphona vespertina, 271

Heterocnus mexicanus mexicanus, 200

Heteroscelus incanus, 300 Himantopus mexicanus, 202

Hirundo rustica, 140, 153

Histrionicus histrionicus, 300

Hobby, 39, 40

Hochman, Benjamin, and Johnston, Richard F., erythrocyte permeability and bird relation-

ships, 154

Honeycreeper, Blue, 207 Crested, 221-222

Hummingbird, Allen, 155, 156

Anna, 155, 271

Berylline, 91, 203

Black-chinned, 45, 143, 271

Blue-throated, 17

Calliope, 270

Cinnamomeous, 203

Dupont, 91

Guimet, 131

Ruby-throated, 143, 203

Rufous, 155-156, 269

White-eared, 91, 143

Hyde, A. Sidney, unusual records from western Colorado, 216; perceptive powers of a

duck hawk, 277

Hydranassa tricolor, 200

Hydroprogne caspia, 115

Hylocharis leucotis, 143

leucotis leucotis, 91 Hylocichla fuscescens, 99

guttata, 272

ustulata, 271, 272

ustulata swainsonii, 206

Hylophilus decuratus decuratus, 207

Hylophilus, Gray-headed, 207

Ibis, White, 201, 218

Wood, 201

Icterus cucullatus, 272

galbula, 202, 208

gularis, 208

gularis gigas, 208

gularis gularis, 208

gularis tamaulipensis, 208

gularis troglodytes, 208

pustulatus, 208

pustulatus alticola, 208

pustulatus sclateri, 208

sclateri, 203

spurius, 208

wagleri wagleri, 95

Idiotes, 207

Iridoprocne albilinea albilinea, 205

bicolor, 230

Jabiru mycteria, 201

Jabiru, 201

Jacamar, Black-chinned, 131

Jacana spinosa spinosa, 201

Jacana, 200, 201

Jaeger, Parasitic, 299

Jay, Canada, 43

Hartlaub, 205

Magpie, 205

Mexican, 93

Piñon, 46

Scrub, 271 Steller, 206, 270, 271

White-tipped Brown, 137

Jobin, Leo, a record of the Hudsonian godwit in the Cariboo district of British Columbia,

Johnson, Ned K., dipper eaten by brook trout,

Johnston, David W., wintering palm warbler at

Berkeley, California, 276

Johnston, Richard F., and Hochman, Benjamin, erythrocyte permeability and bird relationships, 154

Jollie, M., plumages, molt, and racial status of red crossbills in northern Idaho, 193

Junco hyemalis, 187-192

hyemalis cismontanus, 316

hyemalis hyemalis, 316

oreganus, 270, 271, 272, 305

Junco, Oregon, 270, 271, 272, 305

Slate-colored, 187-192, 316

Kessel, Brina, distribution and migration of the European starling in North America, 49

Killdeer, 201

- Killpack, Merlin L., Lapland longspur and snow bunting recorded in Utah, 152
- Kimsey, J. Bruce, northward extension of the range of the California road-runner in California, 215
- Kingbird, Cassin, 92
 - Eastern, 99 Thick-billed, 92
 - Tropical, 204, 219-220
- Western, 204 Kingfisher, Belted, 203
 - Green, 203
- Ringed, 203 Kinglet, Golden-crowned, 154, 271
- Ruby-crowned, 46, 156, 270, 271, 272
- Kittiwake, 300
- Klais guimeti, 131
- Koa, Lesser. 222 Greater, 222
 - Parrot-billed, 222
- Koford, Carl B., a young California condor, a photograph, 150
- Kona, 222
- Krog, John, notes on the birds of Amchitka, Alaska, 299
- Kuroda, Nagamichi, a wild hybrid between Branta and Anser obtained in Japan, 100

- Lagopus mutus, 299 Lampornis clemenciae, 17
- Lapwing, 183
- Lark, Horned, 152, 216
- Larus californicus, 113-115
 - crassirostris, 40, 153
 - franklini, 33
 - glaucescens, 299, 302
 - heermanni, 218
 - occidentalis, 316
 - pipixcan, 219
 - schistasagus, 39, 41
- Legg, Ken, a palm warbler in autumn at Point Lobos Reserve, California, 162; third record of the tropical kindbird in California, 219
- Lepidocolaptes leucogaster leucogaster, 92
 - souleyetii, 202 souleyetii compressus, 204
- Leptasthenura andicola, 20
- Leucolepis phaeocephalus, 220
- Leuconotopicus stricklandi, 92
- Leucophyox thula, 200
- Leucopternis albicollis, 201
- Leucosticte tephrocotis, 301
- Limnodromus scolopaceus, 45
- Limosa haemastica, 318
- lapponica, 300
- Lincoln, Frederick C., and Gabrielson, Ira N., status of the lesser common loon, 314
- Lobipes lobatus, 300
- Locustella fasciolata, 42

- Longspur, Lapland, 152, 216, 300
- Loon, 302
- Common, 314-315
 - Lesser Common, 314-315
 - Red-throated, 300
- Lophortyx californica, 271
- Loxia curvirostra, 158-160, 193-197
 - curvirostra bendirei, 159, 160, 193-197 curvirostra benti, 158-159, 193, 196, 197
 - curvirostra grinnelli, 158-159
 - curvirostra minor, 194
 - curvirostra sitkensis, 159, 193-197
 - curvirostra stricklandi. 96
 - leucontera, 43
- Loxops coccinea coccinea, 222 coccinea ochracea, 222
 - sagittirostris, 222
- Lunda cirrhata, 41, 301
- Luscinia calliope, 42
- akahige, 154
- Lybius vielloti, 220

M

- Magpie, Blue, 153
- Mallard, 33-37, 113, 170, 176, 178-180, 300, 311
- Mamo, 222
- Man-o'-war bird, 218
- Mareca americana, 201, 277
- Marshall, David B., and Giles, Leroy W., recent observations on birds of Anaho Island,
 - Pyramid Lake, Nevada, 105
- Martin, Purple, 225-249
- Meadowlark, 250
- Megamaema asiatica, 220
 - haemacephala, 220
- virens, 220
- Megarynchus pitangua deserticola, 205
 - pitangua mexicanus, 204
- Melanerpes formicivorus formicivorus, 96
- Melanotis caerulescens effuticius, 94
- Melospiza georgiana, 46, 318
 - lincolnii alticola, 209
 - melodia, 51, 63, 151, 154-155, 157, 270, 272
 - kieneri rubricatum, 96
- Merganser, American, 113
- Common, 151
- Mergus merganser, 151 merganser americanus, 113
- Mewaldt, L. R., and Farner, Donald S., the composition of a wintering population of
- white-crowned sparrows in southeastern Washington, 313
- Michener, Josephine R., molt and variation in plumage pattern of mockingbirds at Pasadena, California, 75
- Micrastur semitorquatus, 47
- Micrastur, Collared, 47
- Miller, A. W., and Anderson, William, hybridization of cinnamon and blue-winged teal in northeastern California, 152

Miller, Alden H., more trouble for the California condor, 47; the incubation periods of the Hutton vireo, 221; a review of "Birds of Mexico," by E. R. Blake, 280

Mimus polyglottos, 75-89 polyglottos leucopterus, 316 Miner, 20 Mitrephanes phaeocercus, 93

Mniotilta varia, 151, 207, 215 Mockingbird, 75-89, 316 Blue, 94

Molothrus ater, 95, 151 ater obscurus, 95, 156, 316 Momotus mexicanus castaneideps, 203 mexicanus mexicanus, 91, 97 momota, 202

momota lessonii, 204 Montgomery, Vester, the Leconte sparrow in

New Mexico, 277 Moor-hen, 183

Morejohn, G. Victor, English sparrows nesting within nest of red-tailed hawk, 161

Morococcyx erythropygus erythropygus, 202

Morus bassanus, 177 Motacilla alba, 42

Motmot, Blue-crowned, 204 Blue-throated, 135

Russet-crowned, 91, 203 Turquoise-browed, 203

Murre, Common, 31 Murrelet, Ancient, 153

Musacchia, X. J., a study of the lipids in arctic migratory birds, 305

Muscivora forficata, 204 Muscisaxicola cinerea, 20 frontalis, 20

rufivertex, 20 Myadestes obscurus occidentalis, 94

townsendi, 270 Mycteria americana, 201

Myiarchus cinerascens, 101, 271 cinerascens cinerascens, 205

crinitus, 218, 274 nuttingi inquietus, 101 tuberculifer connectens, 205

tuberculifer querulus, 92 tyrannulus insularum, 274 tyrannulus magister, 274 tyrannulus nelsoni, 205, 274 tyrannulus tyrannulus, 274

Myioborus miniatus miniatus, 95, 97 Myiozetetes similis texensis, 205 Nice, Margaret Morse, some experiences in imprinting ducklings, 33; the earliest mention of territory, 316

Nighthawk, 91 Booming, 269

Nightingale-Thrush, Orange-billed, 94

Notharchus macrorhynchos hyperrhynchus, 204

Notornis hockstetteri, 184 Nucifraga columbiana, 270

Nukupuu, 222

Numerius americanus, 218, 316

Nutcracker, Clark, 270 Nuthatch, Pigmy, 270

Red-breasted, 270

White-breasted, 94, 270

Nyctidromus albicollis, 203

0

Oakeson, Barbara Blanchard, cyclic changes in liver and spleen weights in migratory white-crowned sparrows, 3

Oceanodroma leucorhoa leucorhoa, 38-39

Oporornis tolmiei, 207, 271 Oreoscoptes montanus, 156 Oreotrochilus estella, 17-20 leucopleurus, 19 Oriole, Baltimore, 208

Black-throated, 208 Hooded, 272

Orchard, 208 Scarlet-headed, 208

Wagler, 95 Ortman, L. L., and Guhl, A. M., visual patterns in the recognition of individuals among chickens, 287

Otus asio, 271 bakkamoena ussuriensis, 153

Ou, 222 Ovenbird, 130 Owl, Barn, 69

Burrowing, 275 Fern, 69 Great Horned, 91

Great Horned, 9 Horned, 20 Long-eared, 43

Pigmy, 91 Screech, 271 Scops, 153 Spectacled, 203

Oxyura jamaicensis, 174, 201 Oyster-catcher, Black, 300, 302

N

Nelson, Urban C., northern record of nesting of red-necked grebe, 220 Neochloe brevipennis, 156-157

brevipennis brevipennis, 157 brevipennis browni, 157

F

Pachyramphus major australis, 204

Palila, 222

Palmer, Theodore S., a photograph of,

Palmeria dolei, 221-222

Parakeet, Orange-chinned, 202

Orange-fronted, 202

Parkes, Kenneth C., the incubation patch in males of the suborder Tyranni, 218; evidence for the suppression of the American race of the pintail, 275

Parrot, White-fronted, 202 Yellow-headed, 202

Partridge, 184

Parus atricapillus, 43

carolinensis, 151 gambeli, 270 hudsonicus, 43

inornatus, 271 major, 143

varius varius, 153 wollweberi wollweberi, 93

Passer domesticus, 117-120, 161, 226 Passerculus sandwichensis, 156, 209

sandwichensis alaudinus, 156 sandwichensis brooksi, 156

Passerella iliaca, 26, 154-155, 272 iliaca brevicauda, 316

iliaca schistacea, 216 Passerina amoena, 272 ciris, 209

cyanea, 209

Passerherbulus caudacutus, 216, 277

Pauraque, 203

Pearse, Theed, Franklin gull on Pacific coast of British Columbia, 219

Pearson, Oliver P., use of caves by hummingbirds and other species at high altitudes in Peru, 17

Pedioecetes phasianellus, 313

Pewee, Tropical, 205 Western Wood, 93, 270, 271

Pelecanus erythrorhynchos, 105-116 occidentalis, 218

Pelican, Brown, 218 White, 105-116

Perisoreus canadensis, 43 Petrel, Leach, 38-39, 40, 42

Petrochelidon, 20

pyrrhonota, 93, 241, 271 pyrrhonota melanogaster, 93

Phainopepla nitens, 272

Phalacrocorax auritus, 44, 111-112, 315

capillatus, 39

penicillatus, 315 olivaceous mexicanus, 200 pelagicus, 39, 40, 301, 302

Phalaenoptilus nuttallii, 68-74, 237, 269, 274

Phalarope, Northern, 300

Red, 305-312 Wilson, 158

Phalaropus fulicarius, 305-312 Pheucticus ludovicianus, 208

melanocephalus, 271, 272 Pheugopedius fasciato-ventris, 220

Phillips, Allan R., and Dickerman, Robert W., first United States record of Myiarchus nuttingi, 102 Phillips, Allan R., and Pulich, Warren M., a possible desert flight line of the American redstart, 99

Philortyx fasciatus, 91

Phoebe, Black, 176, 218 Say, 316

Phoenicurus auroreus auroreus, 154

Phrygilus gayi, 20

Piaya cayana mexicana, 91, 97 cayana stirtoni, 202 cayana thermophila, 202

Piculus rubiginosus maximus, 204

Picus arizonae, 92 stricklandi, 92

Pigeon, Band-tailed, 202, 270, 271

Pinicola enucleator, 43

Pintail, 33, 35, 201, 275-276

Pipilo aberti, 96

erythrophthalmus, 96, 270, 271, 272 fuscus, 272

fuscus, 272 fuscus fuscus, 96 ocai, 96

Pipromorpha oleaginea, 131

Piranga flava hepatica, 95

leucoptera leucoptera, 208 ludoviciana, 202, 208, 270, 271, 272

rubra rubra, 208

Pitangus sulphuratus guatimalensis, 205 Pitelka, Frank A., a review of "The Study of Instinct," by N. Tinbergen, 163; a review

of "Between Pacific Tides," by E. F. Ricketts and J. Calvin, 164

Platypsaris aglaiae albiventris, 92

Plectrophenax nivalis, 301 nivalis nivalis, 152

Plover, Black-bellied, 156 Golden, 305-312 Mountain, 160

Pluvialis dominica, 305-312 Pochard, Common, 183

Podilymbus podiceps, 170 Polioptila, 98

albiloris albiloris, 206 caerulea, 94, 206, 272

caerulea deppei, 95

Poor-will, 68-74, 237, 269, 274 Porphyrio poliocephalus, 184

Porzana bicolor, 184 carolina, 184

Ptilogonys cinereus cinereus, 95

Progne subis, 225-249 Psaltriparus minimus, 271

minimus iulus, 93 minimus melanotis, 93

Pseudonestor xanthophrys, 221-222

Psilorhinus mexicanus, 137 Psittirostra bailleui, 221-222

> flaviceps, 222 kona, 222

palmeri, 222 psittacea, 221-222 Ptarmigan, Rock, 299

Pteroglossus torquatus, 202

torquatus torquatus, 204 Puffbird, White-necked, 204

Puffin, Tufted, 41, 301

Pulich, Warren M., and Gullion, Gordon W., black-and-white warbler, dickcissel, and tree sparrow in Nevada, 215

Pulich, Warren M., and Phillips, Allan R., a possible desert flight line of the American redstart, 99

Pulsatrix perspicillata saturata, 203

Pygochelidon cyanoleuca, 134

Pyrocephalus rubinus, 215

rubinus flammeus, 216 rubinus mexicanus, 92

Quail, Barred, 91 Bob-white, 192, 250 California, 271

Rail, Clapper, 184

Gray-breasted, 184

King, 184 Rallus elegans, 184

longirostris, 184

striatus, 184

Ramphocelus carbo, 22 passerinii, 136

Raven, 43, 93

White-necked, 26-32

Razorbill, 130

Recurvirostra americana, 45, 158, 279

Redhead, 34-37, 179

Redpoll, Common, 43-44

Hoary, 43

Redstart, American, 99-100, 279

Daurian, 154

Painted, 95, 318 Red-bellied, 95

Reed-hen, Blue, 184

Regulus calendula, 46, 270, 271, 272

calendula cineraceus, 156

regulus japonensis, 154

satrapa, 271

Rett, Egmont Z., additional notes on the birds of Santa Rosa Island, 156

Richards, Lawrence P., and Baldwin, Paul H., recent records of some Hawaiian honeycreepers, 221

Richmond, Stanley M., the attraction of purple martins to an urban location in western Oregon, 225

Richmondena cardinalis, 220

Ricketts, Edward F., and Calvin, Jack, "Between Pacific Tides," a review by F. A. Pitelka,

Rissa tridactyla, 300

Road-runner, California, 215

Lesser, 91

Roberts, Frances, and Harrison, Ed, long-eared owl at its nest, a photograph, 43

Robin, 46, 94, 270, 271

Gray, 206

Japanese, 154

White-throated, 94, 206

Rubythroat, 42

Salt, George William, an ecological analysis of

three California avifaunas, 258

Saltator atriceps, 208

Saltator, Black-headed, 208

Sanderling, 156

Sandpiper, Least, 201

Red-backed, 305-312

Rock, 300

Spotted, 156, 270

Sapsucker, Yellow-bellied, 219

Saxicola torquata stejnegeri, 153

Sayornis nigricans, 176, 218

saya saya, 316

Scardafella inca, 91, 160, 202

Scaup, Greater, 300

Seedeater, Collared, 96

Variable, 135

Seiurus aurocapillus, 130

motacilla, 207

Selander, Robert K., notes on the red crossbills of the Uinta and Wasatch Mountains,

Utah, 158 Selander, Robert K., and Alvarez del Toro, Miguel, the breeding distribution of Chor-

deiles minor in Mexico, 160 Selasphorus rufus, 155-156, 269

sasin, 155, 156

Semnornis ramphastinus, 220

Setophaga picta, 318

picta picta, 95

ruticilla, 99-100, 279

Shoveller, 33-37

Sialia currucoides, 270

mexicana, 230, 271, 272 sialis, 143

sialis fulva, 94

sialis guatemalae, 206

Sibley, Charles G., Forster terns breeding on San Francisco Bay, California, 278

Sicalis, 20

Siskin, Black-headed, 96

Sitta canadensis, 270

carolinensis, 94, 270

carolinensis kinneari, 94 carolinensis umbrosa, 94

pygmaea, 270

Skutch, Alexander F., life history of the southern

house wren, 121

Skylark, Japanese, 41 Snipe, Latham, 40

Solitaire, Brown-backed, 94

Townsend, 270
Somateria mollissima, 33, 301, 302
Sora, 184
Sparrow, Chipping, 97, 215, 270-272
English, 117-120, 161, 226, 230, 231, 241, 248, 266
Fox, 26, 154-155, 216, 272, 316
Gambel, 3-16
Golden-crowned, 272
Grasshopper, 209
Harris, 46, 216
Leconte, 216, 277
Lincoln, 209
Marsh, 277
Rufous-collared, 209
Rufous-crowned, 97, 156
Russet-tailed, 96, 209
Rusty, 96-97

Rusty, 96-97
Rusty-crowned, 96
Sage, 277
Savannah, 156, 209, 277
Song, 51, 63, 122, 151, 154-155, 157, 270, 272
Swamp, 46, 318
Tree, 215, 216, 277

Vesper, 122 White-crowned, 3-16, 160, 270, 272, 277, 313-314 White-throated, 46, 160, 187-192, 216, 305, 318

Speotyto cunicularia, 275 Spinetail, Streaked, 20 Spinus lawrencei, 272 notatus griscomi, 96 psaltria, 272 psaltria colombianus, 209 psaltria psaltria, 96

tristis, 151, 157, 238
Spiza americana, 215
Spizella arborea ochracea, 215
monticola ochracea, 216
passerina, 270-272
passerina mexicana, 97
Sporophila aurita, 135
torqueola torqueola, 96

Starling, 183, 219
European, 49-67
Steganopus tricolor, 158
Stellula calliope, 270
Stercorarius parasiticus, 299
Sterna forsteri, 278-279
paradisaea, 300
Stilt, Black-necked, 202
Stonechat, Japanese, 153
Straw, Richard M., additional notes on Korean birds, 153

Sturnus vulgaris, 49-67, 219 Sutton, George Miksch, the brown-crested flycatcher in the Florida keys, 274 Swallow, Blue-and-White, 134

Swallow, Blue-and-White, Cliff, 20, 93, 241, 271 European Barn, 140
House, 153
Mangrove, 205
Tree, 230-233, 238, 247, 248
Violet-green, 93, 218, 230, 231, 247, 270
Swan, Black, 178, 179
Mute, 178, 179
Swift, Large White-rumped, 41
White-throated, 270
Synthliboramphus antiquus, 153

Tachycineta thalassina, 93, 218, 230, 270
Takahe, 184
Talmadge, Robert R., rufous hummingbird nesting in California, 155; range extensions in northern California, 315
Tanager, Blue, 135

Golden-masked, 136 Hepatic, 95 Song, 136 Summer, 208 Western, 208, 270-272 White-winged, 208 Yellow-winged, 208 nagra, 98

Tanagra, 98
affinis affinis, 208
musica elegantissima, 95
musica rileyi, 95
nigro-cincta, 136
Tangavius aeneus, 218
aeneus aeneus, 207

Tashian, Richard E., the birds of southeastern Guatemala, 198 Tattler, Wandering, 300

Teal, Blue-winged, 152-153, 179, 201 Cinnamon, 152-153 Eurasian, 153 Green-winged, 201, 300 Tern, Arctic, 300

Caspian, 115 Forster, 278-279 Thatcher, Vernon E., the cowbird in western

Oregon, 318
Thornburg, Florence, another hibernating poorwill, 274
Thornburgh, Margaret M., painted redstart near

Thornburgh, Margaret M., painted redstart near San Diego, California, 318 Thrasher, Brown, 157, 216

Sage, 156
Thraupis abbas, 202, 208
episcopus, 135
Thrush, Hermit, 272

Swainson, 206, 271, 272 Thryomanes bewickii, 94, 123, 254-257, 272 bewickii murinus, 94

bewickii percnus, 94 Thryothorus felix felix, 94 ludovicianus, 126 modestus, 141 nigricapillus, 126, 141 Tilmatura dupontii dupontii, 91

Tinbergen, N., the study of instinct, a review by F. A. Pitelka, 163

Tit, Great, 143 Varied, 153

Titmouse, Bridled, 93

Plain, 271

Tityra inquisitor, 131

semifasciata griseiceps, 92 semifasciata personata, 204

Tityra, Inquisitive, 131 Masked, 92, 204

Todirostrum cinereum finitimum, 205 Tolmomyias sulphurescens cinereiceps, 205

Totanus flavipes, 300

Towhee, Brown, 96, 272, 318

Green-tailed, 270 Spotted, 270-272

Toxostoma redivivum, 272 rufum, 157, 216

Trachylaemus purpuratus, 220 Tripsurus chrysauchen, 134

Troglodytes, 126, 144-146

aëdon, 121, 230, 145, 265, 271 musculus, 121-149

musculus clarus, 123 rufociliatus, 126

troglodytes, 126, 145 Trogon collaris puella, 203 elegans, 202, 205, 206

elegans ambiguus, 91 elegans elegans, 203 violaceus braccatus, 203

Trogon, Collared, 203 Coppery-tailed, 91, 203 Violaceous, 203

Turdus assimilis, 94

Turdus assimilis, 94
assimilis assimilis, 94
assimilis renominatus, 94
assimilis rubicundus, 206

grayi, 202, 203, 206 grayi grayi, 206 grayi umbrinus, 206

migratorius, 94, 270, 271 migratorius permixtus, 94 migratorius propinquus, 94

rufopalliatus, 47 Tyrannus crassirostris crassirostris, 92, 97

melancholicus chloronatus, 204 tyrannus, 99 verticalis, 204

vociferans, 92 Tyrant, Black-fronted Ground, 20 Cinereus Ground, 20

Tyto alba, 69

U

Ula-ai-hawane, 222 Upucerthia, 20 Uria aalge, 31, 130 V

Vaurie, Charles, summer records and observations on the island of Tiburón, Sonora, Mexico, 217

Veerv, 99

Vermivora celata, 270, 272

peregrina, 207 Vireo bellii, 272

flavifrons, 206 gilvus, 95, 270-272 gilvus connectens, 95

> gilvus eleanorae, 95 gilvus gilvus, 206

gilvus swainsoni, 156 huttoni, 221, 272

olivaceus, 99 solitarius, 270-272

solitarius repetens, 95

solitarius solitarius, 206

Vireo, Bell, 221, 272 Hutton, 221, 272 Red-eyed, 99

Solitary, 95, 206, 270-272 Warbling, 95, 156, 205, 206, 270-272

White-eyed, 221 Yellow-throated, 206

Volatinia jacarina, 96 jacarina atronitens, 96 jacarina diluta, 96

jacarina splendens, 209 Vulture, Black, 90, 201, 218 Turkey, 45, 90, 201, 218

W

Wagtail, Pied, 42 Warbler, Audubon, 270-272

Black and White, 151, 205, 207, 215

Black-poll, 278 Black-throated

Black-throated Gray, 271, 272 Black-throated Green, 207

Chestnut-sided, 217 Grace, 95

Gray's Grasshopper, 42 Hermit, 270, 272

Kirtland, 250 MacGillivray, 207 Magnolia, 207

Myrtle, 156, 207 Orange-crowned, 270, 272, 279

Palm, 162, 276 Parula, 216

Pileolated, 207, 270, 272, 279

Rufous-capped, 95 Tennessee, 205, 207

Tolmie, 271 Townsend, 272 Von Schrenck Reed, 42

Yellow, 207, 271, 272

Water-Cock, 184 Water-Hen, 184

White-breasted, 184

- Water-thrush, Louisiana, 207 Waxwing, Bohemian, 45, 46 Cedar, 46, 143, 206
- Weka, 184 Whip-poor-will, 91
- Whip-poor-will, 91 Stephens, 281-286 Willet, 45, 218
- Williams, George G., Wilson phalaropes as commensals, 158
- Wilsonia pusilla, 270, 272 pusilla pileolata, 207
- Wolfson, Albert, gonadal and fat response to a 5:1 radio of light to darkness in the whitethroated sparrow, 187; correction of data reported on white-throated sparrows, 318
- Woodhen, Black, 184
- Woodhewer, Streaked-headed, 204 White-striped, 92
- Woodpecker, Acorn, 91, 204, 270, 271
 - Golden-fronted, 204, 205
 - Golden-naped, 134
 - Golden-olive, 204
 - Hairy, 133, 269, 270 Ladder-backed, 91
 - Lewis, 45
 - Lineated, 204
 - Pygmy, 153
 - Red-crowned, 133 White-headed, 270
- Wren, Banded Cactus, 134, 137
 - Bewick, 94, 123, 254-257, 272
 - Black-billed, 220
 - Canyon, 94, 271

- Carolina, 126, 130
- Chinchirigüi, 141
- European, 126, 144, 145
- Нарру, 94
- Highland Wood, 126
- House, 121, 230, 248, 265, 271
- Lowland Wood, 126
- North American House, 126, 143, 144-147
- Musician, 220
- Riverside Bay, 126, 141
- Rufous-browed, 126
- Rufous-naped Cactus, 206, 208
- Spotted Cactus, 94
- Southern House, 121-149
- White-browed Wood, 206, 207
- Wren-tit, 271

1

- Yellow-legs, Lesser, 300
- Yellowthroat, Common, 207

Z

- Zenaida asiatica, 202, 218
- Zenaidura macroura, 269, 271
- macroura carolinensis, 202
- Zonotrichia albicollis, 46, 160, 187-192, 216, 305
 - capensis septentrionalis, 209
 - coronata, 272
 - leucophrys, 3-16, 26, 270, 272
 - leucophrys gambelii, 3-16, 313, 314
 - leucophrys nuttalli, 15
 - leucophrys pugetensis, 3, 5
 - querula, 46, 216

